

Eurasia Temac Private Limited



**Material Handling solutions for
the textile industry**



TMH-KBT

Knotting beam trolley

- Beam length : up to 280 cm
- Beam Flange Diameter : up to 800 to 1100 mm
- Beam weight : up to 2000 Kg
- Transport speed : Max: 6 kmph.
- Transport width : 1300 mm
- Beam alley recommended : 1600 mm
- Drive : Battery operated.
- Hydraulics : Battery operated.
- Battery 4800WH LiFePO4.



TMH-LBT

Low Lift Beam Trolley

- Fork length : Up to 400 cm.
- Roll / Flange diameter up to 1200mm.
- Load up to 2000 Kgs.
- Running Wheels of 150mm for better stability on uneven flooring.
- Battery operated drive and hydraulics with 3600WH LiFePo4 battery.




**Note: We will be happy to customise any of the parameters as per your individual requirements.
All the vehicles are made to order.**

TMH -BBT

Big Batch Trolley

- Batch / Roll Diameter : up to 1250mm
- Batch lengths up to 280 cm
- Batch weight up to 1200 Kgs
- Cradle type or arm type , based on the core used.
- Alley width recommended 1800 mm
- Battery 3600WH LiFePO4 .



TMH-P

Puller

- To pull A-Frames or other wheel mounted loads.
- Maximum Lifting - 2000kg.
- Maximum Pulling - 4000kg.
- Minimum ball Height - 200mm
- Lifting Range - 160mm
- Overall Width - 890mm
- Drive speed 6 kmph.
- Battery 4800WH LiFePO4





Drive Conversion of old Material Handling Equipment

- We undertake conversion work for old trolleys
- We can provide new controllers and control electronics for both DC and AC trolleys
- We use your existing motors and hydraulics while replacing all the other components. If necessary we also provide new AC / BLDC motors and DC hydraulic pumps.
- You can benefit from shorter down times, easy availability of spares and reduced maintenance times for your old trolleys



Contact us:

Eurasia Temac Private Limited

admin@eurasia-temac.com

Aditya Jayaraman - +919892772469

www.eurasia-temac.com